

MN1604 Size: 9V (6LR61)

Alkaline-Manganese Dioxide Battery

| DURACELI® | | 17.5 mm 17.5 mm 15.5 mm 12.95 mm 12.45 mm 26.5 mm |
|-----------------------------|---|--|
| Nominal voltage | 9 V | |
| Impedance | 1,700 m-ohm @ 1 kHz | 46.4 mm |
| Typical weight | 46 g (1.7 oz) | MAX |
| Typical volume | 22.8 cm ³ (1.4 in ³) | 48.5 46.5 mm |
| Terminals | Miniature snap | |
| Storage temperature range | 6°C to 29°C (42°F to 85°F) | |
| Operating temperature range | -18°C to 54°C | |
| Designation | IEC: 6LR61 | Dimensions shown are IEC standards |

USAGE GUIDE (Please refer to IEC60086.5 for detailed safety and storage specifications.)

(1) Insert batteries correctly with regard to the polarities ("+"/"-") marked on the battery and the electrical appliances.

(2) Do not short-circuit, recharge, heat, disassemble the battery, or dispose of in fire.

(3) Do not mix use old batteries with new ones, or mix use batteries of different types, chemistries or brands.

(4) Exhausted batteries should be immediately removed from the equipment.

(5) Keep the batteries away from small children. Do not let the child remove/replace batteries without monitoring from adults.

(6) Storage temperature: 6°C~29°C, and humidity conditions RH: 40%~90%.



Berkshire Corporate Park Bethel, CT. 06801 U.S.A. Telephone: Toll-free 1-800-544-5454 www.duracell.com

Delivered capacity is dependent on the applied load, operating temperature and cut-off voltage. Please refer to the charts and discharge data shown for examples of the energy/service life that the battery will provide for various load conditions.

MN9VEURP0821

Zn/MnO₂



MN1604 Size: 9V (6LR61)

Alkaline-Manganese Dioxide Battery







Berkshire Corporate Park Bethel, CT. 06801 U.S.A. Telephone: Toll-free 1-800-544-5454 www.duracell.com Delivered capacity is dependent on the applied load, operating temperature and cut-off voltage. Please refer to the charts and discharge data shown for examples of the energy/service life that the battery will provide for various load conditions.

MN9VEURP0821

Zn/MnO₂